

NEXUS HD PORCELAIN TILE



NEXUS HD PORCELAIN TILE



12" x 24" NEXUS CLAY HD PORCELAIN TILE

NEXUS HD PORCELAIN TILE



13" x 13" NEXUS CLAY HD PORCELAIN TILE
63-555



2" x 2" NEXUS CLAY HD PORCELAIN MOSAICS
69-936



3" x 12" NEXUS CLAY HD PORCELAIN BULLNOSE
69-932




12" x 24" NEXUS CLAY HD PORCELAIN TILE
69-928



16" x 32" NEXUS CLAY HD PORCELAIN TILE
65-512

NEXUS HD PORCELAIN TILE



12" x 24" NEXUS ICE HD PORCELAIN TILE

NEXUS HD PORCELAIN TILE



13" x 13" NEXUS ICE HD PORCELAIN TILE
63-556



2" x 2" NEXUS ICE HD PORCELAIN MOSAICS
69-937



3" x 12" NEXUS ICE HD PORCELAIN BULLNOSE
69-933



12" x 24" NEXUS ICE HD PORCELAIN TILE
69-929



16" x 32" NEXUS ICE HD PORCELAIN TILE
65-513

NEXUS HD PORCELAIN TILE



12" x 24" NEXUS MICA HD PORCELAIN TILE

NEXUS HD PORCELAIN TILE



13" x 13" NEXUS MICA HD PORCELAIN TILE
63-557



2" x 2" NEXUS MICA HD PORCELAIN MOSAICS
69-938



3" x 12" NEXUS MICA HD PORCELAIN BULLNOSE
69-934



12" x 24" NEXUS MICA HD PORCELAIN TILE
69-930



16" x 32" NEXUS MICA HD PORCELAIN TILE
65-514

NEXUS HD PORCELAIN TILE



12" x 24" NEXUS GRAPHITE HD PORCELAIN TILE

NEXUS HD PORCELAIN TILE



13" x 13" NEXUS GRAPHITE HD PORCELAIN TILE
63-558



2" x 2" NEXUS GRAPHITE HD PORCELAIN MOSAICS
69-939



3" x 12" NEXUS GRAPHITE HD PORCELAIN BULLNOSE
69-935



12" x 24" NEXUS GRAPHITE HD PORCELAIN TILE
69-931



16" x 32" NEXUS GRAPHITE HD PORCELAIN TILE
65-515

NEXUS HD PORCELAIN TILE

PACKAGING INFORMATION

DESCRIPTION	ITEM CODE				LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
	CLAY	ICE	MICA	GRAPHITE					
12" x 24" NEXUS HD PORCELAIN TILE	69-928	69-929	69-930	69-931	68.59	8	15.50	32	496.00
13" x 13" NEXUS HD PORCELAIN TILE	63-555	63-556	63-557	63-558	52.42	13	15.28	46	702.88
16" x 32" NEXUS HD WALL TILE	65-512	65-513	65-514	65-515	32.28	8	10.76	63	677.88
2" x 2" NEXUS HD PORCELAIN MOSAICS	69-936	69-937	69-938	69-939	38.20	10	11.74	48	563.52
3" x 12" NEXUS HD PORCELAIN BULLNOSE	69-932	69-933	69-934	69-935	16.46	20	N/A	N/A	N/A

GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	13" x 13"	12" x 24"
THICKNESS		mm – in	9.5 mm – 3/8"	9.5 mm – 3/8"
WATER ABSORPTION	EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	EN ISO 10545-7	(PEI)	4	4
SCRATCH HARDNESS		(Mohs)	7	7
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 450	≥ 450
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A – Resistant	Class A – Resistant
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant
STATIC COEFFICIENT OF FRICTION (WET)	ASTM C-1028	(μ)	≥ 0.60	≥ 0.60
STATIC COEFFICIENT OF FRICTION (DRY)	ASTM C-1028	(μ)	≥ 0.80	≥ 0.80
DCOF (WET)	ANSI B101.3		≥ 0.42	≥ 0.42
SHADE VARIATION			V3	V3

